

Intura SunTube

Sun tunnels next level

For every daylight solution www.intura.nl

FLAT ROOF




- Pre-installed roofing
- Crystal glass dome
- Double-walled insulated upstand RAL 9005
- Updated EcoPower Insulation Element based on 14cm PIR


The Intura SunTube daylight sun tunnel system transports natural daylight to dark areas in any desired space under a flat or sloped roof. The dome is made of crystal glass, making it quiet, strong, self-cleaning, and durable.

The innovative Intura SunTube daylight sun tunnels are the ultimate solution to transform your home or workplace into a healthy and pleasant environment with natural daylight. Our crystal glass light-capturing dome captures natural daylight and channels it deep into your home or business through an advanced reflective tube. The soft, diffused light is evenly distributed by a stylish ceiling plate, filling every room with bright, natural light.


The Intura SunTube, available in diameters of Ø25, Ø35, or Ø55 cm, is a versatile daylight tube perfect for both residential and commercial spaces. This sun tunnel provides an ideal daylight output and ensures maximum illumination in areas such as living rooms, bedrooms, bathrooms, offices, meeting rooms, hallways, and retail spaces.

The Intura SunTube is suitable for both new construction and renovation projects, regardless of the type of roof. Make the most of every space and experience the power of natural daylight with the Intura SunTube!





Bitumen





PITCHED ROOF



Intura SunTube daylight tubes are also ideal for installation on sloped roofs. The doublewalled insulated upstands of the SunTube25, SunTube35 and SunTube55 come standard with Leadax (lead substitute made from recycled PVB), making them easy to install on a tiled roof.

Price list

	SunTube25	SunTube35	SunTube55
Basic set flat roof crystal glass dome Choice to Bitumen, PVC or EPDM pre-installed	624,01	690,90	
	755,05	835,99	
Basic set flat roof acrylic (PMMA) dome Choice to Bitumen, PVC or EPDM pre-installed			1.167,27
			1.412,39
Basic set pitch roof crystal glass dome Leadax artificial lead pre-installed	624,01	690,90	
	755,05	835,99	
Basic set pitch roof acrylic (PMMA) dome Leadax artificial lead pre-installed			1.167,27
			1.412,39
EcoPower insulation element HR++	358,15	368,53	477,96
	433,36	445,92	578,33
EcoPower insulation element HR+++	405,03	424,78	643,59
	490,09	513,98	657,74
Extra mirror Tube 60 cm	70,16	85,08	126,67
	84,89	102,95	153,27
Elbow tube up to 45°	125,79	142,66	209,57
	152,20	172,62	253,58
Tube GU10 lighting fitting	74,00	74,00	74,00
	89,54	89,54	89,54

Excl. BTW Incl. 21% BTW



ECOPOWER INSULATION ELEMENT

- 14 CM PIR with double HR++ glass or triple HR+++ glass
- PIR insulation RC value: Rd insulation value 6.30



The Intura SunTube basic set consists of the following components:

- 1.Crystal glass dome
- 2.Aluminum roof upstand with pre-installed roof covering
- 3. Tube length of 60 cm (can be shortened)
- 4. Easyclick diffuser for easy installation
- 5.Installation accessories



SUPER FAST



ECOPOWER INSULATION ELEMENT













Intura B.V. Ampérestraat 15 E: info@intura.nl 3861 NC Nijkerk

T: 033 202 2082 W: www.intura.nl All prices in this flyer are in Euros, subject to price changes. No rights can be derived from the text in this flyer.